

1 Sandra A. Edwards (State Bar No. 154578)
Joshua W. Malone (State Bar No. 301836)
2 Farella Braun + Martel LLP
235 Montgomery Street, 17th Floor
3 San Francisco, CA 94104
Telephone: (415) 954-4400; Fax: (415) 954-4480
4 sedwards@fbm.com
jmalone@fbm.com

5 Joe G. Hollingsworth (appearance *pro hac vice*)
6 Martin C. Calhoun (appearance *pro hac vice*)
Kirby T. Griffis (appearance *pro hac vice*)
7 William J. Cople (appearance *pro hac vice*)
Hollingsworth LLP
8 1350 I Street, N.W.
Washington, DC 20005
9 Telephone: (202) 898-5800; Fax: (202) 682-1639
jhollingsworth@hollingsworthllp.com
10 mcalhoun@hollingsworthllp.com
kgriffis@hollingsworthllp.com
11 wcople@hollingsworthllp.com

12 George C. Lombardi (appearance *pro hac vice*)
James M. Hilmert (appearance *pro hac vice*)
13 Winston & Strawn LLP
35 West Wacker Drive
14 Chicago, IL 60601
Telephone: (312) 558-5969; Fax: (312) 558-5700
15 glombard@winston.com
jhilmert@winston.com

16 *Attorneys for Defendant*
17 MONSANTO COMPANY

18 **SUPERIOR COURT OF THE STATE OF CALIFORNIA**
19 **COUNTY OF SAN FRANCISCO**
20

21 DEWAYNE JOHNSON,
22 Plaintiff,

23 vs.

24 MONSANTO COMPANY,
25 Defendant.
26

Case No. CGC-16-550128

EXHIBITS 1-2 TO:

**DEFENDANT MONSANTO COMPANY'S
REQUEST FOR JUDICIAL NOTICE OF
U.S. ENVIRONMENTAL PROTECTION
AGENCY DOCUMENTS AND FEDERAL
REGISTER MATERIALS**

Trial Date: June 18, 2018
Time: 9:30 a.m.
Department: 504

ELECTRONICALLY
FILED
*Superior Court of California,
County of San Francisco*
06/18/2018
Clerk of the Court
BY: RONNIE OTERO
Deputy Clerk

Exhibit 1



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Washington, DC 20460

AUTHENTICATION

I, Delores Barber, attest that I am the Director of the Information Technology and Resources Management Division (ITRMD) of the United States Environmental Protection Agency (EPA or Agency) and that the attached documents are true, correct, and compared copies of the file copies in my legal custody, consisting of:

Letter Dated: 10/17/1974

To: Jack D. Early (Monsanto)

From: Richard F. Mountfort (OPP)

Re: ROUNDUP, EPA Reg. No. 524-308, Application May 15, 1974 & September 20, 1974 (1 page)


Subscribed under the penalty of perjury on this 7 day of June, 2018.

Delores Barber

Delores Barber, Director
Information Technology and Resources Management Division (ITRMD)

CERTIFICATION OF TRUE COPY

I, Wendy Blake, certify that I am the Associate General Counsel, General Law Office, Office of General Counsel, of the United States Environmental Protection Agency; that I am the designee of the General Counsel for the purpose of executing certifications under 40 C.F.R. sec. 2.406; that I have duties in Washington, District of Columbia; and that the official whose signature appears above has legal custody pursuant to 40 C.F.R. sec. 2.406 of the original documents, copies of which are attached, as witnessed by my signature and the official seal of the United States Environmental Protection Agency.



Wendy L. Blake

Wendy L. Blake
Associate General Counsel
General Law Office
Office of General Counsel

Date: 6/11/18

Date of Letter 10/18/74 Date Recv'd _____ Document number 930716100201 C0412

Who sent to ☐ EPA ☒ Monsanto ☐ CALEPA ☐ Other _____

Who sent from ☒ EPA ☐ Monsanto ☐ CALEPA ☐ Other _____

Active Ingrid. Guy MON # _____ Registration # 324-308

Pest Petition # _____ DCI Case # _____

RD # _____ Date of Submission _____ Guideline # _____

Crop/Species _____ Lab Number/MSL # _____

MRID # _____ Accession # _____ California ID # _____

Submission ☐ Data Submission ☐ Amendment ☐ CSF ☐ Other
type ☐ Label Submission ☐ Notification ☐ DCI

Note: If the subject you want entered is the same as what is on the subject line of the letter, check same as letter box.

Subject Approval of labels submitted 5/15/74 and

☐ Same as letter 9/20/74

Comments/references to other pieces of correspondence _____

Note: If there is anything in the letter which you feel should be entered in the RD Database (i.e. Date study accepted by the EPA, etc.), please write the information on the back of this sheet.

ENTERED JUL 16 1993

MONGLY00784646



18 OCT 1974

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

file
Roundup
Registration

Monsanto Commercial Products Co.
800 N. Lindbergh Boulevard
St. Louis, MI 63166

Attention: Jack D. Early

Gentlemen:

Subject : ROUNDUP
EPA Reg. No. 524-308
Your Application of May 15, 1974 & September 20, 1974

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable, and a stamped copy is enclosed for your records.

1. Under the purpose heading "Hand Gun and High Volume Equipment" add the statement "Use coarse sprays only."

Sincerely,

Richard F. Mountfort
Richard F. Mountfort
Section Head
Fungicide-Herbicides Branch


Enclosure

MONGLY00784647



INDUSTRIAL AND NON-AGRICULTURAL USES

To control annual and perennial weeds on this label on non-crop areas such as railroad, pipeline high-way, power and telephone rights-of-way; petroleum tank farms and pumping installations; roadsides; storage areas; lumberyards; fencerows; industrial plant sites; parking areas; schools, parks, golf courses, other public areas; airports and similar industrial or non-crop areas.





CAUTION!

MAY CAUSE IRRITATION.

Avoid contact with eyes or prolonged contact with skin.

FIRST AID: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician. Flush skin with water.

For best results, spray coverage should be uniform and complete. Do not spray weed foliage to the point of runoff.

NOTE:

REDUCED RESULTS MAY OCCUR IF WATER CONTAINING SOIL IS USED, eg. WATER FROM PONDS AND UNLINED DITCHES.

Spray coverage should be uniform and complete. Do not spray to the point of runoff.

Do not allow spray or spray drift to contact desirable vegetation as severe injury or destruction may occur.

HAND GUN AND HIGH VOLUME EQUIPMENT

For control of Perennial Grasses and Broadleaf Weeds listed on this label using high volume spraying equipment utilizing handguns or other suitable nozzle arrangements—Mix 4 quarts of Roundup in 100 gallons of clean water and apply to foliage of vegetation to be controlled.

BOOM EQUIPMENT

NOTE: For all industrial and non-agricultural uses, repeat treatments may be necessary to control regeneration or new growth.

Changed Signal Word 1

Changed Statement of Hazard 2

Changed Precaution Statement 3

Changed First Aid 4

Changed wording 5

Added - new 6

Added - new 7

Added - new 8

Changed wording 9

ACCEPTED
October 17 1974
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 224-548 SUBJECT
ED ATTACHED COMMENTS.

MINIATURE FACSIMILE
Smallest Type size on package 12 point.

ROUNDUP®

POSTEMERGENCE HERBICIDE BY
Monsanto

Postemergence herbicide for industrial and non-crop uses to control
or destroy many annual and perennial grasses and broadleafed weeds.

AVOID CONTACT WITH DESIRABLE PLANTS AND TREES SINCE SEVERE INJURY OR DESTRUCTION MAY RESULT.

CAUTION!

Keep out of reach of children.
Use only according to label instructions.
Read "LIMIT OF WARRANTY AND LIABILITY" before
buying or using. If terms are not acceptable, return
at once unopened.

ACTIVE INGREDIENT:
*Isopropylamine salt of Glyphosate 41.0%
INERT INGREDIENTS: 59.0%
100.0%
*Contains 480 grams per liter or 4 pounds of the
active ingredient isopropylamine salt of
N-(phosphonomethyl) glycine per U.S. gallon.

READ PRECAUTIONS ON BACK OF CAN.

STORE ABOVE 10°F. TO KEEP FROM FREEZING.
Freezing will result in crystals which settle to the
bottom of the can. If allowed to freeze, place in a
warm room (72° F.) and roll and shake the can fre-
quently for several days to redissolve.



In case of an emergency involving this product,
Call Collect, day or night, (314) 694-1000.

EPA Reg. No. 524-308

NET 5 U.S. GAL.

MONSANTO COMPANY AGRICULTURAL DIVISION ST. LOUIS, MISSOURI 63166, U.S.A. EPA Est. 524-MO-1

GENERAL INFORMATION

DO NOT APPLY THIS PRODUCT USING AERIAL
SPRAY EQUIPMENT.

Roundup, a water soluble liquid, mixes readily with
water to be applied as a foliage spray for the control
or destruction of many herbaceous plants. It may
be applied through standard industrial or field type
sprayers after dilution and thorough mixing with
water in accordance with label instructions.

Roundup is translocated from the point of foliage
contact to and into the root system. Visible effects
on most annual weeds occur within 2 to 4 days but
on most perennial weeds may not occur until 7
to 10 days. Visible effects are a gradual wilting and
yellowing of the plant which advances to complete
browning and deterioration of plant tissue.

Rainfall occurring up to 6 hours after application
may reduce effectiveness. Heavy rainfall within 2
hours after application may wash the chemical off of
the foliage and a repeat treatment may be required.

DO NOT ADD ADDITIONAL SURFACTANT since this
formulation contains sufficient wetting agents for the
purposes described.

Do not mix with any herbicides, pesticides, herbi-
cidal oils or any other materials.

Delay application until vegetation has emerged to
the stages described for control of such vegetation
under the "Weeds Controlled" Section of this label
to afford adequate leaf surface to receive the spray.
Unemerged leaf tissue arising from underground
rhizomes or root stocks of perennials will not be
affected by the spray and will continue to grow. For
this reason best control of most perennial species
is obtained when treatment is made at late stages
approaching maturity.

For best results, spray coverage should be uniform
and complete. Do not spray weed foliage to the
point of runoff.

ATTENTION

AVOID DRIFT. EXTREME CARE MUST BE USED
WHEN APPLYING THIS PRODUCT TO PREVENT IN-
JURING DESIRABLE PLANTS AND CROPS. Do not
allow spray mist to drift since even minute quantities
of spray can cause severe damage or destruction to
nearby crops, plants or other areas on which treat-
ment is not intended, or may cause other unintended

consequences. Do not apply when winds are gusty or
in excess of 5 miles per hour or when other condi-
tions, including lesser wind velocities, will allow drift
to occur. When spraying, avoid combinations of
pressure and nozzle type that will result in fine par-
ticles (mist) which are more likely to drift.

NOTE: Use of this product in any manner not con-
sistent with this label may result in injury to
persons, animals or crops, or other unintended
consequences. Keep container closed to prevent
spills and contamination.

Clean sprayer and parts immediately after using
this product by thoroughly flushing with water.
Do not contaminate water by disposal of wastes
or cleaning of equipment.

Do not reuse container. Destroy when empty
Do not use this product with galvanized (zinc
coated) spray equipment.

MIXING AND APPLICATION INSTRUCTIONS

This herbicide mixes readily with water. NOTE:
REDUCED RESULTS MAY OCCUR IF WATER CON-
TAINING SOIL IS USED, eg. WATER FROM PONDS
AND UNLINED DITCHES. For ground or industrial
type sprayers fill the spray tank with one half the
required amount of water. Add the proper amount of
herbicide (See Directions for Use) and mix well be-
fore filling the remaining portion of water. Place the
filling hose below the surface of the liquid solution
to prevent excessive foaming. Remove hose from
tank immediately to avoid back siphoning into water
source. Do not use mechanical agitators.

For use in knapsack type sprayers, it is suggested
that the proper amount be mixed with water in a
larger container. Fill sprayer from the tank or con-
tainer of stock solution.

APPLY IN PROPERLY MAINTAINED AND CALI-
BRATED EQUIPMENT CAPABLE OF DELIVERING DE-
SIRED RATES OF SOLUTION OR VOLUME. DO NOT
APPLY UNDER WIND OR OTHER CONDITIONS
WHICH WILL ALLOW DRIFT TO OCCUR. HAND GUN
APPLICATIONS SHOULD BE PROPERLY DIRECTED
TO AVOID SPRAYING DESIRABLE VEGETATION.

By-pass lines should terminate at the bottom of the
tank to minimize foaming. For fixed-boom power
equipment, use 50 mesh nozzle and line screens.

WEEDS CONTROLLED

Roundup controls many annual and perennial
grasses and broadleaf weeds. A partial list of
ANNUAL WEEDS includes:

Annual Bluegrass	Kochia
Poa annual	Kochia scoparis
Common Lambsquarters	Pennsylvania Smartweed
Chenopodium album	Polygonum
Common Ragweed	pensylvanicum
Ambrosia artemisiifolia	Prickly Lettuce
Crabgrass	Lactuca scariola
Digitaria spp.	Redroot Pigweed
Downy brome	Amaranthus retroflexus
Bromus tectorum	Russian Thistle
Panicum	Salsola kali
Panicum spp.	Smooth Pigweed
Field Sandbur	Amaranthus hybridus
Cenchrus Paniciflorus	Shattercane
Fleabane	Sorghum bicolor
Erigeron spp.	Velvetleaf
Foxtail	Aubutition theophrasti
Setaria spp.	Wheat
Giant Ragweed	Triticum aestivum
Ambrosia trifida	

Annual weeds generally will continue to germinate
from seed throughout the growing season. In some
cases, repeat treatments may be necessary to more
completely control later germinating species. Best
control is obtained if weed or grass growth is treated
before seed heads emerge.

A partial list of PERENNIAL WEEDS includes:

Bermudagrass	Johnsongrass
Cynodon dactylon	Sorghum halepense
Kentucky Bluegrass	Hemp Dogbane
Poa spp.	Apocynum cannabinum
Canada Thistle	Milkweed
Cirsium arvense	Asclepias spp.
Common Mullein	Paragrass
Verbascum thapsus	Brachiaria mutica
Curly Dock	Hawaii
Rumex crispus	Quackgrass
Dallisgrass	Agropyron repens
Paspalum dilatatum	Swamp Smartweed
Fescues	Polygonum coccineum
Festuca spp.	Vaseygrass
Field Bindweed	Paspalum urvillei
Convolvulus arvensis	

Perennial weeds, particularly persistent and deep
rooted species, such as bermudagrass, Canada
thistle, field bindweed, hemp dogbane and others
may require repeat treatments for best control. If
possible, allow the species to approach early bud
stage, late boot, full bloom or early seed head stage
of maturity before treatment. Otherwise, permit suf-
ficient growth before treatment to assume maximum
coverage to emerging vegetation. If area to be
sprayed has been mowed or clipped allow regrowth
to be 8 to 10 inches high before treating.

DIRECTIONS FOR USE

Spray coverage should be uniform and complete.
Do not spray to the point of runoff.

Do not allow spray or spray drift to contact desirable
vegetation as severe injury or destruction may occur.

INDUSTRIAL AND NON-AGRICULTURAL USES

To control annual and perennial weeds on this label
on non-crop areas such as railroad, pipeline, high-
way, power and telephone rights-of-way; petroleum
tank farms and pumping installations; roadsides;
storage areas; lumberyards; fencerows; industrial
plant sites; parking areas; airports and similar in-
dustrial or non-crop areas.

HAND GUN AND HIGH VOLUME EQUIPMENT
For control of Perennial Grasses and Broadleaf
Weeds listed on this label using high volume spray-
ing equipment utilizing handguns or other suitable
nozzle arrangements—Mix 4 quarts of Roundup in
100 gallons of clean water and apply to foliage of
vegetation to be controlled.

BOOM EQUIPMENT

For control of Perennial Grasses and Broadleaf
Weeds listed on this label using conventional boom
equipment—Use 2 to 4 quarts in 20 to 30 gallons
of clean water per acre as a broadcast spray.

For control of Annual Grasses and Broadleaf Weeds
listed on this label using conventional boom equip-
ment—Use 1 to 1½ quarts in 20 to 30 gallons of
clean water per acre as a broadcast spray.

NOTE: For all industrial and non-agricultural uses,
repeat treatments may be necessary to control
regeneration or new growth.

HOME AND FARMSTEAD WEED CONTROL

To control undesirable vegetation listed on this label
around building foundations, along and in sidewalks,
fences, shelterbelts, and driveways, around swim-
ming pools, tennis courts, and general non-selective
weed control apply Roundup to actively growing
vegetation with a suitable sprayer. Use 2 ounces
(4 tablespoons) per gallon of water per 1,000 square
feet for control of bluegrass, crabgrass, foxtails,
lambsquarters, pigweeds, ragweed, and other an-
nuals listed on this label.

For harder-to-control perennials such as bermuda-
grass, dock, quackgrass, johnsongrass and Canada
thistle use 3 ounces (6 tablespoons) per gallon of
water per 1,000 square feet.

NOTE: If spraying to areas adjacent to desirable
plants, use a shield made of cardboard, sheet metal
or plywood while spraying to help prevent spray
coming into contact with foliage.

NON-BEARING DECIDUOUS FRUITS

Apples and cherries. DO NOT APPLY TO TREES
THAT WILL BEAR FRUIT WITHIN ONE YEAR AFTER
APPLICATION.

For control of annual grasses and broadleaf weeds
listed on this label in or around non-bearing apple
and cherry trees, use 1½ to 2½ quarts in 20 to 30
gallons of water per acre and apply as a directed
spray toward the base of the tree. For control of
perennial grasses and broadleaf weeds listed on
this label, use 2 to 4 quarts in 20 to 30 gallons of
water per acre, as a direct spray. Spray may come
into contact with brown bark area of the trunk with-
out injury. AVOID SPRAYING GREEN BARK. Do not
allow spray or spray drift to contact foliage of the
tree since severe damage or destruction may occur.

Repeat treatments using 1½ to 2½ quarts in 20 to
30 gallons of water per acre may be required peri-
odically throughout the growing season to control
perennial regeneration and newly sprouted weeds.

Exhibit 2



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Washington, DC 20460

AUTHENTICATION

I, Delores Barber, attest that I am the Director of the Information Technology and Resources Management Division (ITRMD) of the United States Environmental Protection Agency (EPA or Agency) and that the attached documents are true, correct, and compared copies of the file copies in my legal custody, consisting of:

Letter Dated: 12/23/1975

To: Mr. Hannah (Monsanto)

From: Robert J. Taylor (OPP)

Re: ROUNDUP, EPA Reg. No. 524-308, Application December 22, 1975 (1 page)

Subscribed under the penalty of perjury on this 7 day of June, 2018.

Delores Barber

Delores Barber, Director

Information Technology and Resources Management Division (ITRMD)

CERTIFICATION OF TRUE COPY

I, Wendy Blake, certify that I am the Associate General Counsel, General Law Office, Office of General Counsel, of the United States Environmental Protection Agency; that I am the designee of the General Counsel for the purpose of executing certifications under 40 C.F.R. sec. 2.406; that I have duties in Washington, District of Columbia; and that the official whose signature appears above has legal custody pursuant to 40 C.F.R. sec. 2.406 of the original documents, copies of which are attached, as witnessed by my signature and the official seal of the United States Environmental Protection Agency.



Wendy L. Blake

Wendy L. Blake

Associate General Counsel

General Law Office

Office of General Counsel

Date: 6/14/18



RECEIVED DEC 23 1975

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

23 DEC 1975

Monsanto Company
Attention: Mr. Hannah
800 N. Lindbergh Boulevard
St. Louis, Missouri 63166

Gentlemen:

Subject : ROUNDUP
 EPA Reg. No. 524-308
 Your application of
 December 22, 1975

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable, and a stamped copy is enclosed for your records.

Note that this submission was processed and accepted under the 1947 Federal Insecticide, Fungicide, and Rodenticide Act. At such time as re-registration is required or amendments are proposed, the Registration, Re-registration and Classification Procedures, as published in the Federal Register on July 3, 1975, will be applied. Refer to Section 162.23 of that document. Refer also to PR Notice 75-1 and 75-4.

Sincerely,

Robert J. Taylor

Robert J. Taylor
Product Manager (25)
Fungicide-Herbicide Branch
Registration Division (WH-567)

Enclosure

Monsanto

Roundup
®

PRECAUTIONARY STATEMENTS
Hazard to Humans

WARNING! Keep out of reach of children.

CAUSES EYE IRRITATION.
HARMFUL IF SWALLOWED.

Do not get in eyes, on skin or on clothing.

FIRST AID: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician. Flush skin with water. Wash clothing before reuse.

Storage and Disposal

STORE ABOVE 10°F. TO KEEP FROM FREEZING. Freezing will result in crystals which settle to the bottom of the can. If allowed to freeze, place in a warm room (72°F.) and roll and shake the can frequently for several days to redissolve.

Avoid contamination of seed, feed and food stuffs.

Do not reuse container, destroy when empty.

In case of an emergency involving this product, Call Collect, day or night, (314) 694-1000.

897.10.000.12

Monsanto

Roundup
Herbicide

Water soluble herbicide for non-selective control of many annual and perennial weeds.

Carefully follow detailed instructions in attached labeling.

Avoid contact with foliage, green stems, or fruit of crops, desirable plants and trees, since severe injury or destruction may result.

Read "LIMIT OF WARRANTY AND LIABILITY" before buying or using. If terms are not acceptable, return at once unopened.

Active Ingredient:	
*Isopropylamine salt of Glyphosate	41.0%
Inert Ingredients:	59.0%
	100.0%

*Contains 480 grams per liter or 4 pounds of the active ingredient isopropylamine salt of N-(phosphonomethyl) glycine per U.S. gallon. Equivalent to 359 grams per liter or 3 pounds per U.S. gallon of the acid, glyphosate.


Read precautions on back panel.

WARNING!

Keep out of reach of children.

NET 1 GAL

EPA Reg. No. 524-308-AA



DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in any manner inconsistent with its labeling.

Carefully read and follow directions for use in attached labeling.

Read the entire label.

Use only according to label instructions.

LIMIT OF WARRANTY AND LIABILITY

This company warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the directions for use. This product is sold subject to the understanding that the buyer assumes all risks of use or handling which may result in loss or damage which are beyond the control of the seller, such as for example, incompatibility with other products, the manner of its use or application, or the presence of other products or materials in or on the soil or crop. NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY IS MADE. The exclusive remedy of the user or buyer and the limit of the liability of this company or any other seller for any and all losses, injuries or damages resulting from the use or handling of this product shall be the purchase price paid by the user or buyer for the quantity of this product involved. The buyer and all users are deemed to have accepted the terms of this notice which may not be varied by any verbal or written agreement.

ROUNDUP® Herbicide Complete Directions for Use.

EPA Reg. No. 524-308-AA

Water soluble herbicide for non-selective control of many annual and perennial weeds:

in industrial and non-crop areas;

in non-bearing apple and cherry trees;

and

in cropping systems before emergence of barley, corn (all), oats, sorghum (milo), soybeans and wheat only.

Read the entire label. Use only according to label instructions.

AVOID CONTACT WITH FOLIAGE, GREEN STEMS, OR FRUIT OF CROPS, DESIRABLE PLANTS AND TREES, SINCE SEVERE INJURY OR DESTRUCTION MAY RESULT.



MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63166 U.S.A.

EPA Est. 524-MO-1

In case of an emergency involving this product,
Call Collect, day or night, (314) 694-1000.

Dec 23, 1975
524-308

870011

Monsanto

Roundup

Herbicide

MINIATURE FACSIMILE
Smallest Type size on package 12 point.

Water soluble herbicide for non-selective control of many annual and perennial weeds.
Carefully follow detailed instructions in attached labeling.
Avoid contact with foliage, green stems, or fruit of crops, desirable plants and trees, since severe injury or destruction may result.

Read "LIMIT OF WARRANTY AND LIABILITY"
before buying or using. If terms are not acceptable,
return at once unopened.
Read precautions on back panel.

Active Ingredient:
Isopropylamine salt of Glyphosate 41.0%
Inert Ingredients 59.0%
100.0%

Contains 480 grams per liter or 4 pounds of
the active ingredient isopropylamine salt of
N-(phosphonomethyl) glycine per U.S. gallon.
Equivalent to 359 grams per liter or 3 pounds
per U.S. gallon of the acid, glyphosate.

WARNING! Keep out of reach of children.

NET 5 U.S. GAL.

EPA Reg. No. 524-308-AA

Monsanto

Roundup
Herbicide

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in any manner inconsistent with its labeling.

Carefully read and follow directions for use in attached labeling.

Read the entire label.

Use only according to label instructions.

LIMIT OF WARRANTY AND LIABILITY

This company warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the directions for use. This product is sold subject to the understanding that the buyer assumes all risks of use or handling which may result in loss or damage which are beyond the control of the seller, such as for example, incompatibility with other products, the manner of its use or application, or the presence of other products or materials in or on the soil or crop. NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY IS MADE. The exclusive remedy of the user or buyer and the limit of the liability of this company or any other seller for any and all losses, injuries or damages resulting from the use or handling of this product shall be the purchase price paid by the user or buyer for the quantity of this product involved. The buyer and all users are deemed to have accepted the terms of this notice which may not be varied by any verbal or written agreement.

PRECAUTIONARY STATEMENTS

Hazard to Humans

WARNING! Keep out of reach of children.

CAUSES EYE IRRITATION.

HARMFUL IF SWALLOWED.

Do not get in eyes, on skin or on clothing.

FIRST AID: In case of contact, immediately flush with plenty of water for at least 15 minutes. Call a physician. Flush skin with water. Wash clothing before reuse.

Storage and Disposal

STORE ABOVE 10° F. TO KEEP FROM FREEZING. Freezing will result in crystals which settle to the bottom of the can. If allowed to freeze, place in a warm room (72° F.) and roll and shake the can frequently several days to redissolve.

Avoid contamination of seed, feed and food stuffs.

Do not reuse container, destroy when empty.

In case of an emergency involving this product, Collect, day or night, (314) 694-1000.



MONSANTO COMPANY
AGRICULTURAL PRODUCTS
ST. LOUIS, MISSOURI 63166 U.S.A.

EPA Est. 524-MO-1
897.10-000.09